

1.3MP AHD Pan and Tilt Pipe Inspection Camera System P10000PT-1

Application: Pipe/Sewer/Drain/Borehole








Feature:

- 1.360 degree rotation camera head,pan 360°,tilt180°.
- 2.1/3 CMOS,1.3MP.AHD camera head,waterproof up to 10bars.
- 3.10inch IPS LCD screen.Resolution:1280*720.
- 4.video/audio/text recording.
- 5.60m/120m cable length, ∅ 9mm fiberglass.
- 6.USB bluetooth,keyboard to typewrite the words.
- 7.Camera video resolution:720P.
- 8.Built-in 8800mA Li-ion battery, support unit working more than 6 hours.
- 9.Digital meter-counter function, error is less than 1%

*Patent Pending Design *

Detail Parts Spec:

	<p>Camera size Ø50mm x 154mm, sensor 1/3" CMOS ,1.3MP pixel</p> <ul style="list-style-type: none"> * Waterproof IP68 up to 10 bar * View range 120° * Rotation: Pan 360° , Tilt 180° * lens position automatic reset * Slip coupling for rotation axle * 6pcs high light LED lighting adjustable * Detachable with pins type connection to Cable Reel * Lens window sapphire glass
	<ul style="list-style-type: none"> *10"HD IPS LCD Screen, 1280X720 resolution * PT camera Joystick * AHD DVR SYSTEM with recording 720P video, audio and photography function * USB bluetooth Keyboard real time typewriting * Video input jack 3 options(CAM1,CAM2_PT and Video IN) * Digital meter counter function, display on the screen * 8800mA rechargeable Li-ion Battery Pack * Battery level indicator
	<ul style="list-style-type: none"> * Fiberglass push rod cable * Cable diameter Ø9mm * Cable length from 60m to 150m optional * Reel size 70 x 28 x 84cm
	<ul style="list-style-type: none"> * 8800mA li-ion battery * AC110V-240V 1.5A power charger * Charging time 5 hours, working time 6 hours
	<ul style="list-style-type: none"> * Big skids: Ø220mm * Small skids: Ø85mm



(Option)

- * Material: Stainless steel
- * Six wheels on this skids
- * Min Diameter is 200mm
- * Max Diameter is 500mm
- *Extra USD120.00/pcs if necessary.



Video switch knob	CAM 1 :Φ16mm/Φ23mm/Φ29mm Camera head 4 core Signal input CAM 2: Pan/tilt camera head 5 core Signal input Video for BNC or RCA video input
On/off switch knob	Charge:indicating charging status OFF:Turn off the control kit power ON: Turn on the control kit power
Battery/Charge button	Switch battery/charge
Camera LED Dimmer	Ajustable camera LED brightness
Microphone Operation	Press down the button, the microphone is working
PT Joystick Control	Control camera Pan Tilt rotation
Keyboard	USB bluetooth keyboard
USB port	Connect with USB flash Disk

Total weight: 42KG

Packing carton size: 84.5 X 43.5 X 93CM, 48.5 X 21.5X42.5CM

*Patent Pending Design *

ROYAL TOOL(HONGKONG)LIMITED
No. 38,Mingquan Road, Zhongshan city,
Guangdong Province ,China 528400.
E-mail:info@royaltoolpro.com
Tel:086 0760 8880 1865
www.royaltoolpro.com