

## 45mm HD Dual Deep Well Inspection Camera System D10015APT-Dual

Application: Deep well/Borehole



Feature:

- \*  $\Phi$ 45mm small HD Dual camera head,side lens 360°rotation
- \*Resolution: 1.3MP HD
- \* Water depth: 500M
- \*13inch big HD display
- \* 200m-500m twist wires cable with electric winch
- \* Electric winch winding speed adjustable
- \* HD DVR control box with Audio/video recording function
- \* Built-in 128G Solid State Drives to storage video /Audio files
- \* Built-in compass and temperature sensor

\*Patent Pending Design \*

## Detail Parts Spec:

	<p><b>HD Camera Head</b></p> <ul style="list-style-type: none"><li>*Φ45mm dual view(side/down) rotation camera head</li><li>*Pan 360° rotation, Waterproof 50bars</li><li>*1/3 CMOS,1.3MP pixel <b>HD</b> camera sensor</li><li>*Side camera with manual focus function</li><li>*Stainless steel camera housing</li><li>*PC LED light cover</li><li>*Total weight is 2.4KG</li><li>*6pcs high light LED for side camera</li><li>*6pcs high light LED for down camera</li><li>*Lens window sapphire glass</li></ul>
	<p><b>Centering skid</b></p> <p>Adjustable, Φ 420mm max</p>
	<p><b>Electric Winch</b></p> <ul style="list-style-type: none"><li>*Winding speed: 0~20m/min</li><li>*Cable speed adjustable</li><li>*Φ8mm Kevlar cable 100-500m length</li><li>*300M and above there will must be with automatic wiring arrange device</li><li>*Power supply AC 110/AC230V, DC12~24V</li><li>*On screen depth encoder</li><li>*Electric cable rolling</li></ul>
	<p><b>Monitor:</b></p> <ul style="list-style-type: none"><li>* 13"HD industrial color monitor</li><li>* Display model 4:3</li><li>* Resolution 1024*768</li><li>* Menu language 9 languages optional</li></ul> <p><b>Control Panel:</b></p> <ul style="list-style-type: none"><li>* DVR control box with audio, video recording and photography function</li><li>* Camera video resolution is 720P</li><li>* USB wireless keyboard to typewrite the words</li><li>* Built in 10500mA li-ion rechargeable battery,support control unit working more than 5hours.</li><li>* Manual Focus adjtable keys (MF+/MF-)</li><li>* Digital Zoom in/out keys</li><li>* Video input option: Borehole Camera</li><li>* Winch operating knob (adjusting speed, cable up and down, brake)</li><li>* Camera rotation control button</li><li>* On-screen depth encoder, temperature and direction</li><li>* AC110V-230V input port, AC power supply for electrical winch working</li></ul> <p><b>Built in WIFI transmitter</b></p> <ul style="list-style-type: none"><li>* Using intelligent terminals as display and recording device</li><li>* Transmitter distance 30m</li><li>* Through WIFI wireless transmit video to Android, Apply OS or MID terminal</li><li>* Non-interference for 2.4G wireless remote control</li></ul>

## Control Unit Panel Buttons Function Declaration



Gross weight: 200M 131KG;300M 151KG; 400M 171KG; 500M 191KG

Wooden Packing Size: L830mm\*W650mm\*H880mm

\*Patent Pending Design \*

**ROYAL TOOL(HONGKONG)LIMITED**  
No. 38,Mingquan Road, Zhongshan city,  
Guangdong Province ,China 528400.  
E-mail:info@royaltoolpro.com  
Tel:086 0735 7640815/086 0760 8880 1865  
Phone:086 18565801348  
www.royaltoolpro.com